6

Discharge Permit Application To Discharge Contaminants to Land

Please answer all questions fully. You should discuss your application with Council officers before completing this form.

Show the location of the diversion and adjoining properties on your map on Form 1. Include design plans and details with this application.

	Part A: General	
1.	What is the source of the contaminant (eg. sewage treatment, industry, water treatment, rural activity, solid waste etc.)?	
2.	Describe the contaminant including, where appropriate, the physical and chemical content.	
3.	Is the contaminant treated in any way before being discharged? Yes O No O	
	If Yes, describe treatment	
4.	What is the location of the discharge?	
5.	For liquid contaminants, what method of discharge will be used (eg. spray irrigation, soakage, etc.)?	
6.	Describe the soils, topography and vegetation cover of the land onto which the discharge will be made:	
7.	What is the total area of land on to which the discharge is to be made: hectares	
	What is the area of land over which the discharge is made each day: hectares	

			Part A:	Genera	(Continued)			
8.	Discharge Ra	te Information	on					
Maximum flow rate: litres per second or cubic metres per second Maximum daily discharge rate: cubic metres								
	Is the discharge	: continu	ious O	or intermittent O	?			
	What will be the	e maximum di	scharging perio	d?	hours per da days per we weeks per ye	ek		
9.	For animal man	ure, what is th	e source of the	manure?				
	Cows O	Pigs O	Poultry O	Other, sp	pecify:			
	How many anin	nals in your he	erd?					
	What maximum	herd size are	you planning?					
	What is the volu	ame of waste p	produced daily?					
	If you have trea	tment ponds, h	now many do yo	ou have?				
	What are their d	limensions?						
	metres l	long,	m	etres wide,	metres d	eep		
10.	For septic tanks	, what is the so	ource of waste?					
	Multiple dwelling	ng O	Mote	el/Restaurant O	Park/Re	creation facility	0	
	Other, specify:							
Is the waste: toilet and hand washing? O toilet, bathroom and kitchen waste?					0			
	Other, specify:							
	What is the esting	mated number	of people using	g the facility per da	ny?			
	Please provide choice of septic			n calculations, so	ils, percolation tests a	and site plan wh	ich justify you	
11.	Does the discha	rge also involv	ve:	Outlet structure	?	Yes O	No O	
				Diversion?		Yes O	No O	
				Discharge to air	•9	Yes O	No O	
				Discharge to wa		Yes O	No O	
				Discharge to Wa	uci:	165 ()	140 ()	
	If you answer	red Yes to a	ny of 11 abo	ve, a separate c	onsent application	may be requir	ed.	

Part B: Assessment of Effects on the Environment

Where your discharge could have a significant adverse effect on the environment a more detailed environmental assessment is required in accordance with the Fourth Schedule of the Resource Management Act 1991.

	•••••						
Within the vicinity of the discharge are there any:	Vac	NI					
(1) Water bodies, ground water or ground water bore?	Yes O	No O					
(2) Water abstractions?	0	0					
(3) Obvious signs of biota (eg. fish, eels, insect life, aquatic plants)?	0	0					
(4) Areas where food is gathered (eg. watercress, fish, kaimoana,							
blackberries)?	0	0					
(5) Wetlands (eg. swamp areas)?	0	0					
(6) Recreational activities carried out (eg. swimming, fishing, canoeing)?	0	0					
(7) Areas of particular aesthetic or scientific value (eg. archaeological sites)?	0	0					
(8) Areas or aspects of significance to iwi?	0	0					
If you have answered yes to any of the above, describe what effects your discharg propose to take to mitigate these.	ge may have and t	he ste					
(Continue on a separate page if necessary)	•••••	••••••					
What alternative methods of disposal or discharge locations have you considered?							
	Why did you choose the proposed method of disposal and location point?						

	Part B: Assessment of Effects on the Environment (continued)
5.	How will the equipment controlling the discharge be operated and maintained to prevent equipment failure, and what measures will be implemented to ensure that the effects of any malfunction are remedied?
6.	What, if any, monitoring do you propose to carry out to ensure that the discharge does not have any adverse effect?

APPLICNS